

MUNICIPAL CORPORATION OF DELHI

OFFICE OF THE DIRECTOR
RAJAN BABU INSTITUTE OF PULMONARY MEDICINE & TUBERCULOSIS
 KINGSWAY CAMP DELHI-9

No. 2438

Dated:- 18/1/2024

Quotation No. 87

NIQ

Sealed Quotations are invited on letter Head for the purchase of following items as per terms and conditions mentioned below. The Quotations will be received up to 12:30 pm till dated 25/1/2024 and will be opened on the same day at 02:00PM in the office of Addl. MS/RBIPMT, Kingsway Camp, Delhi-110009 in the presence of quotationers if any.

S. No.	Name of Item & Specifications	Specification	Qty
1	BPC flowmeter with Humidifier Bottle and integrated PB probe	<ul style="list-style-type: none"> • Back pressure compensated flow meter should be capable for accurate gas flow measurement with strict precision and durability standard. • The flow meter body should be made of brass with anti-corrosion chrome/nickel plated materials. • The flow tube and humidifier bottle should be made of clear, impact resistant unbreakable reusable and polysulphone material that can be autoclaved at 121 degree centigrade. • Flow tube should have large and expanded 0-15 LPM range for improved readability at low flows. • Inlet filter of stainless steel wire mesh to prevent entry of foreign particles. • Connection between humidifier and flow meter should be as per Diameter Index Safety System to match or compatible to our existing installed units. • The flow regulation knob should be made of non-ferrous material. • Should have audible safety relief valve. • The humidifier should have micro bubbler for humidification for deep penetration of humidified oxygen inside the lungs. • The flowmeter should be integrated with PB type probe. • Warranty of 2 years. • Validity of rates should be for 12 months. • It should be manufactured in an ISO 13485:2003 quality management system duly certified constructed in accordance with the requirement of international standard. • The product should have CDSCO manufacturing License for oxygen flowmeter with humidifier. 	180

- Quoted rates will remain valid for six months from the date opening of the quotation.
- Full specification of each item must be given while quoting rates & Catalogue. Exact amount of central excise, packing & forwarding charges, the amount of item should be quoted in the quotation including GST.
- Supply is to be arranged by the firm within three weeks. It should be for RBIPMT (Formerly RBTB Hospital). If delay than penalty of 1% of the cost of orders per week will be charged.
- All supplies will be subject approval of the purchase Board. Right of approval/rejection reserved with the Director/RBIPMT. The firm has to remove the rejected material from this hospital within three days of the intimation at its own cost.
- Supply will be received in the hospital premises/stores within 21 days and no cartage/transportation charges will be given for it.
- Payment will be made on raising of bills and approval of supply by the Board Members.
- Firm has to submit the GST Registration, PAN No. duly signed and stamped.
- Director/RBIPMT reserves the right to accept or reject any Quotation without assigning any reason.
- In case the opening date is declared as holiday the Quotation will be opened on the next working day at the same place & same time.
- The firms are required to submit that the offer complies with the NIQ specification. Alternative rate in the Quotation are not acceptable. If more than one offers, is quoted then Quotation will be treated as invalid.
- The firm is required to submit the certificate that the rates quoted are not higher than the rates quoted in any other Govt. Institution of NCT Delhi.
- The rate should be quoted both in words and figures. Overwriting alteration or cutting should be avoided and if any, should be attested. All pages should be numbered and signed by the authorized signatory of the firm. No Conditional offer/Quotation will be accepted.
- Quotation No should be written on the envelop in bold letter and must be dropped in, failing which the Quotation may be rejected.
- Installation work if any shall be done by the supplier at their own cost.
- Any contradiction to the above terms and condition, the bid is liable for rejection.


 CMO/Plan
 RBIPMT

Copy for information to:-

1. NOTICE BOARD
2. AO/IT for display on Website
3. MS/HRH, KH, GLM and SDNH
4. CMO/IT/for display on RBIPMT Website